



SHCSL/LH/01

# SUCHIRAYU HEALTH CARE SOLUTIONS LTD.

☎ : 0836-2239000

Survey No 29, M Timmasagar, Javali Garden, Near KSRTC Depot Circle, Gokul Road, HUBLI-580030

Corporate Identity Number : U85110KA2011PLC056520

GSTIN : 29AAPCS2451P1ZJ ● PAN : AAPCS2451P

Ref, No: SHCSL/ADM/978/ 2026 -2027

Date: 20/04/2026

To:

ENVIRONMENTAL OFFICER  
Regional Office  
Karnataka State Pollution Control Board.  
4. Lakkamanahalli Industrial Area  
Dharwad - 58004

Dear Sir/Madam.

Sub: Submission of Annual Returns Statement (Form - IV) in respect of Suchirayu  
Healthcare Solutions Limited, Hubballi.

\*\*\*\*\*

We are submitting here with Bio Medical Waste Annual Returns Statement in respect of Suchirayu Healthcare Solutions Limited, Sy No 29/8, 9, 10 Javali garden off Gokul road Hubballi. For the year 1<sup>st</sup> January 2025 to 31<sup>st</sup> December 2025. Under the Environmental (Protection) Act, 1986

We request you to kindly consider our documents for necessary action. & same may kindly be acknowledged.

Thanking You



24/4/2026



*Manjath*

Yours sincerely

**Form – IV**  
**(See rule13)**  
**ANNUAL REPORT**

To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	:	
1.	Particulars of the Occupier	:	SUCHIRAYU HEALTH CARE SOLUTIONS LTD. HUBBALLI
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Manjunath H D
	(ii) Name of HCF or CBMWTF	:	RIO GREEN ENVIRON INDIA ASTS HUBBALLI
	(iii) Address for Correspondence	:	Survey No 29/ 8,9,10. Javali Garden off Gokul Road Hubballi - 580030
	(iv) Address of Facility	:	Survey No 29/ 8,9,10. Javali Garden off Gokul Road Hubballi - 580030
	(v)Tel. No, Fax. No	:	0836 - 2239000
	(vi) E-mail ID	:	Legal.suchirayu@hcgel.com
	(vii) URL of Website	:	-----
	(viii) GPS coordinates of HCF or CBMWTF	:	-----
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No: 344984 . valid up to 30.06.2027
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: <b>30.06.2027</b>
2.	Type of Health Care Facility	:	Multi-specialty Hospital
	(i) Bedded Hospital	:	No. of Beds: <b>250</b>
	(ii) Non-bedded hospital	:	- NA -

	Laboratory (Clinic or Blood Bank or Clinical y or Research Institute or Veterinary Hospital or any other)		- NA -
	(iii) License number and its date of expiry		- NA -
3.	Details of CBMWTF	:	RIO GREEN ENVIRON INDIA ASTS HUBBALLI
	(i) Number healthcare facilities covered by CBMWTF	:	- NA -
	(ii) No of beds covered by CBMWTF	:	<b>250</b>
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____Kg/day Out Sourced.
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: <b>11547 Kgs</b> Red Category : <b>15332 Kgs</b> White: <b>1363 Kgs</b> Blue Category : <b>1787 Kgs</b> General Solid waste: -----
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : -NA - Capacity : - NA - Provision of on-site storage : (cold storage or any other provision)



	(ii) number of personnel trained		200
	(iii) number of personnel trained at the time of induction		Each Trainee.
	(iv) number of personnel not undergone any training so far		- Nil -
	(v) whether standard manual for training is available?		- Yes -
	(vi) any other information)		- NA -
8	Details of the accident occurred during the year		- Nil -
	(i) Number of Accidents occurred		- Nil -
	(ii) Number of the persons affected		- Nil -
	(iii) Remedial Action taken (Please attach details if any)		- NA -
	(iv) Any Fatality occurred, details.		- Nil -
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		- Nil -
	Details of Continuous online emission monitoring systems installed		- NA -
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		- Nil -
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		- Nil -
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....  
1<sup>st</sup> January 2025 to 31<sup>st</sup> December 2025.

*Manjiv*



Name and Signature of the Head of the Institution

Date: 20.04.2026

Place: Hubballi.